

**REPAIR OF PORTABLE MIXED LIQUOR SUSPENDED SOLID INTERFACE METER ROYCE METER  
MODEL 7011 AT OLIFANTSFONTEIN**

**Author :** Elphie

**Date posted :** 2018-10-17

**Bid Number :** RFQ201810/027

**Description :** **Accredited, experienced and registered Service providers hereby invited to repair portable mixed liquor suspended solid interface meter model 7011 at Olifantsfontein**

**SCOPE OF WORK**

DESCRIPTION	QUANTITY
Portable mixed liquor suspended solids Interface meter Royce Technologies Model 7011	X 1

<b>Bid closing date :</b>	2018-10-22
<b>Compulsory site meeting :</b>	n/a
<b>Contact Person :</b>	Yulanda Wessels/ Vanessa Baloyi
<b>Contact number :</b>	062 808 9988 / 073 183 4147
<b>E-mail address :</b>	
<b>Bid validity period :</b>	3 Days
<b>Physical address where bid documents can be collected :</b>	ERWAT Head Office, Hartebeestfontein Office Park, R25, Norkem Park.
<b>Tender Box number :</b>	N/A
<b>Day when Tender is to be submitted to ERWAT Offices:</b>	N/A
<b>Non-refundable Document fee :</b>	N/A ERWAT will not accept cash. All payments to be made by Credit Card only
<b>CIBD required?</b>	<input type="checkbox"/>

Bids must be hand delivered to the Bid Box situated at the address: ERWAT Head Office, Hartebeestfontein Office Park, Bapsfontein Road (R25), Kempton Park.

Complete Tenders must be in a sealed envelope clearly marked with **RFQ201810/027** and **REPAIR OF PORTABLE MIXED LIQUOR SUSPENDED SOLID INTERFACE METER ROYCE METER MODEL 7011 AT OLIFANTSFONTEIN.** and to be hand delivered, in the TENDER BOX **N/A** at the foyer at ERWAT Head Office, Bapsfontein Road (R25), Kempton Park.

No e-mail or faxed bids/proposals shall be accepted. Bids/Proposals that are not received on the specific time and date will be marked as late bids/proposals and such bids/proposals will, in terms of the Supply Chain Management Policy of ERWAT, not be considered by ERWAT as valid bids/proposals.

Bidders' attention is specifically drawn to the provision of the bid rules which are included in the bid document.

The lowest or any bid will not necessarily be accepted and ERWAT reserves the right not to consider any bid not suitably endorsed or comprehensively completed, as well as the right to accept a bid in whole or part. Bids completed in pencil will be regarded as invalid bids.

**Submission of electronic and fax bids are not acceptable.**